



PLAN

- NOTES:**
- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRG. NO. 601 TO 603 AND 605 TO 607.
 - ALL DIMENSIONS ARE IN MILLIMETRES UNLESS SPECIFIED OTHERWISE.
 - ALL LEVELS ARE IN METRES WITH REFERENCE TO PRINCIPAL DATUM.
 - 5 NOS. CCTV POLES SHALL BE AGREED WITH HKPF.
 - LIGHTING INTENSITY ON APRON AREA IS 50 LUX MINIMUM.
 - OTHER PASSAGE ROUTE INCLUDING EVA FOR OPERATION PURPOSE NOT SHOWN.
 - FIRE FIGHTING FACILITIES INCLUDING FIRE HYDRANTS SHALL BE PROVIDED IN THE APRON AREA TO THE SATISFACTION OF THE FIRE SERVICES DEPARTMENT.

- LEGEND:**
- 200T BOLLARD
 - FENDER
 - ▤ SHORE SEWAGE RECEPTION PIT AT APPROX. 100m c/c SPACING
 - ▥ SEWAGE MANHOLE
 - ▧ WATER SUPPLY CONNECTION PIT AT APPROX. 100m c/c SPACING
 - ▨ POSSIBLE POWER FEEDER PIT FOR ON-SHORE POWER SUPPLY SYSTEM AT APPROX. 80m c/c SPACING
 - ▩ ELECTICITY CONNECTION PIT AT APPROX. 80m c/c SPACING
 - LIGHTING UNIT MOUNTED ON POLE AT APPROX. 20m c/c SPACING
 - ▨ COMMON UTILITY TROUGH
 - ▩ BRANCH TROUGH FOR SEWER AND WATER PIPE
 - ▧ FEEDER TROUGH FOR SEWER AND WATER PIPE
 - ▨ BRANCH TROUGH FOR POWER CABLE DUCT
 - ▩ FEEDER TROUGH FOR POWER CABLE DUCT
 - GANGWAY RAIL RESERVE
 - - - LOT BOUNDARY

REV.	DESCRIPTION	BY	CHKD	DATE

Civil Engineering and Development Department
 土木工程發展署
 KOWLOON DEVELOPMENT OFFICE
 九龍發展處



KA I TAK DEVELOPMENT
 ENGINEERING STUDY CUM DESIGN AND
 CONSTRUCTION OF ADVANCE WORKS-INVESTIGATION,
 DESIGN AND CONSTRUCTION

SITE FORMATION CUM MARINE WORKS

APRON AREA
GENERAL ARRANGEMENT
 SHEET 4 OF 7

MAUNSELL | AECOM
 Maunsell Consultants Asia Ltd.
 茂盛(亞洲)工程顧問有限公司

DRG.NO. **604**
 圖紙編號

DESIGNED BY 設計 J.L.	AGREEMENT NO. 合約編號 CE35/2006 (CE)	P. DIR. 負責人
DRAWN BY 繪圖 J.J.	STATUS 階段	

SCALE
比例
A1 1:250

DIMENSIONS ARE IN
尺寸單位
MILLIMETERS

© COPYRIGHT RESERVED
版權所有